

Panasonic

PROFESSIONAL LIGHTING



PRICE LIST
APRIL 2024





INDOOR COMMERCIAL LIGHTING

SCANTO PLUS

Recess mounted LED luminaire equipped with CRCA powder coated housing, high transmittance diffuser for symmetric light distribution with non-integral energy efficient electronic driver. Efficacy: 120-130lm/W



High Spec Baselight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
20W	3000K	PBLM21203	595	x	595	x	70	6100
20W	4000K	PBLM21204	595	x	595	x	70	6100
20W	5700K	PBLM21208	595	x	595	x	70	6100
25W	3000K	PBLM21253	595	x	595	x	70	6100
25W	4000K	PBLM21254	595	x	595	x	70	6100
25W	5700K	PBLM21258	595	x	595	x	70	6100
30W	3000K	PBLM21303	595	x	595	x	70	6100
30W	4000K	PBLM21304	595	x	595	x	70	6100
30W	5700K	PBLM21308	595	x	595	x	70	6100
36W	3000K	PBLM21363	595	x	595	x	70	6150
36W	4000K	PBLM21364	595	x	595	x	70	6150
36W	5700K	PBLM21368	595	x	595	x	70	6150

• 3000K available on request.

SCANTO

Recess mounted Low Depth LED Luminaire equipped with CRCA powder coated housing, high transmittance diffuser for symmetric light distribution with non-integral energy efficient isolated electronic driver. Efficacy: 110lm/W




Low Depth Baselight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
30W	3000K	PBLM22303	595	x	595	x	35	5400
30W	4000K	PBLM22304	595	x	595	x	35	5400
30W	5700K	PBLM22308	595	x	595	x	35	5400
36W	3000K	PBLM22363	595	x	595	x	35	5400
36W	4000K	PBLM22364	595	x	595	x	35	5400
36W	6500K	PBLM22367	595	x	595	x	35	5400
36W	5700K	PBLM22368	595	x	595	x	35	5400


SCANTO ADVANCE

The Deco baselight comprises of CRCA housng with prismatic diffuser.



UGR<19 Baselight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
30W	3000K	PBLM23303	595	x	595	x	70	7300
30W	4000K	PBLM23304	595	x	595	x	70	7300
30W	5700K	PBLM23308	595	x	595	x	70	7300




UGR<16 Baselight

30W	3000K	PBLM24303	595	x	595	x	35	8300
30W	4000K	PBLM24304	595	x	595	x	35	8300
30W	5700K	PBLM24308	595	x	595	x	35	8300
36W	3000K	PBLM24363	595	x	595	x	35	8300
36W	4000K	PBLM24364	595	x	595	x	35	8300
36W	5700K	PBLM24368	595	x	595	x	35	8300

SCANTO PRO

Recess mounted Low Depth LED Luminaire equipped with CRCA powder coated housing, high transmittance diffuser for symmetric light distribution with non-integral energy efficient non-isolated electronic driver.



Low Depth Baselight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
30W	4000K	PBLM25304	595	x	595	x	35	3800
30W	5700K	PBLM25308	595	x	595	x	35	3800
30W	6500K	PBLM25307	595	x	595	x	35	3800
36W	4000K	PBLM25364	595	x	595	x	35	3900
36W	5700K	PBLM25368	595	x	595	x	35	3900
36W	6500K	PBLM25367	595	x	595	x	35	3900

SCANTO MAX

Recess mounted clips, low depth luminaire equipped with CRCA powder coated housing, high transmittance diffuser for symmetric light distribution with non-integral isolated electronic driver.



Baselight With Clips

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
30W	4000K	PBLM22304C	595	x	595	x	35	5200
30W	5700K	PBLM22308C	595	x	595	x	35	5200
36W	4000K	PBLM22364C	595	x	595	x	35	5200
36W	5700K	PBLM22368C	595	x	595	x	35	5200

SCANTO S

The Scanto Surface 1x4 36W surface mounted baselight comprises of CRCA housing



1x4 Baselight Surface

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
36W	3000K	PBLM15363	1195	x	295	x	70	8700
36W	4000K	PBLM15364	1195	x	295	x	70	8700
36W	5700K	PBLM15368MS	1195	x	295	x	70	8300
36W	5700K	PBLM15368	1195	x	295	x	70	8700

SCANTO R

The Scanto Recess 1x4 36W recess mounted baselight comprises of CRCA housing



1x4 Baselight Recess

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
36W	3000K	PBLM16363	1195	x	295	x	67	8550
36W	4000K	PBLM16364	1195	x	295	x	67	8550
36W	5700K	PBLM16368	1195	x	295	x	67	8550

SLENDO ADV

Slendo ADV Suspended Linear light comprises of Aluminium Extrusion with PMMA sliding diffuser, PC end caps and clutch wire suspension kit for mounting arrangement with energy efficient isolated electronic driver



Suspended Linear Light

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
14W	4000K	PLHM10144	605	X	52	X	75	6100
14W	5700K	PLHM10148	605	X	52	X	75	6100
28W	4000K	PLHM10284	1200	X	52	X	75	9900
28W	5700K	PLHM10288	1200	X	52	X	75	9900
56W	4000K	PLHM10564	2385	X	52	X	75	19450
56W	5700K	PLHM10568	2385	X	52	X	75	19450
10W	4000K	PLHM09104	605	X	52	X	75	5800
10W	5700K	PLHM09108	605	X	52	X	75	5800
18W	4000K	PLHM09184	1200	X	52	X	75	9600
18W	5700K	PLHM09188	1200	X	52	X	75	9600
36W	4000K	PLHM09364	2385	X	52	X	75	18750
36W	5700K	PLHM09368	2385	X	52	X	75	18750


LINEAR ACCESSORIES

Linear Light

Product Code	Maximum Retails Price in Rs. (incl. of all taxes)per Number)
PACM10004	75
PACM10005	550
PACM10006	1050
PACM10007	550

SLENDO FLEXIBLE

Slendo Flexible Lineat light comprises of Aluminium Extrusion with PMMA sliding diffuser, PC end caps and clutch wire suspension kit for mounting arrangement with energy efficient isolated electronic driver.



Suspended Linear Shapes

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
36W	4000K	PLHM11364	600	X	52	X	75	28000
36W	5700K	PLHM11368	600	X	52	X	75	28000
36W	4000K	PLHM12364	605	X	52	X	75	27750
36W	5700K	PLHM12368	605	X	52	X	75	27750
18W	4000K	PLHM13184	600	X	52	X	75	15150
18W	5700K	PLHM13188	600	X	52	X	75	15150
18W	4000K	PLHM14184	602	X	52	X	75	15150
18W	5700K	PLHM14188	602	X	52	X	75	15150
28W	4000K	PLHM15284	594	X	52	X	75	20400
28W	5700K	PLHM15288	594	X	52	X	75	20400
28W	4000K	PLHM16284	585	X	52	X	75	20200
28W	5700K	PLHM16288	585	X	52	X	75	20200

SLENDO MAX

Unique design with deep recessed diffuser to reduce strain on eye. The 28W down type & 36W up-down type deep recessed linear comprises of aluminium housing with clutchwire suspension kit for suspended mounting.




Deco Linear- Deep Recessed

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
28W	3000K	PLHM05283	1200	X	55	X	86	13900
28W	4000K	PLHM05284	1200	X	55	X	86	13900
28W	5700K	PLHM05288	1200	X	55	X	86	13900
36W	3000K	PLHM06363	1200	X	55	X	86	15350
36W	4000K	PLHM06364	1200	X	55	X	86	15350
36W	5700K	PLHM06368	1200	X	55	X	86	15350

SLENDO PLUS

The 28W down type & 36W up-down type laser linear with lens comprises of aluminium housing with clutch wire suspension kit for suspended mounting.



Deco Linear- Laser Linea

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
28W	3000K	PLHM07283	1128	X	40	X	82	17700
28W	4000K	PLHM07284	1128	X	40	X	82	17700
28W	5700K	PLHM07288	1128	X	40	X	82	17700
36W	3000K	PLHM08363	1128	X	40	X	82	18850
36W	4000K	PLHM08364	1128	X	40	X	82	18850
36W	5700K	PLHM08368	1128	X	40	X	82	18850

SLENDO PRO

Unique design with deep recessed diffuser to reduce strain on eye. The 28W deep recessed linear comprises of aluminium housing with clutchwire suspension kit for suspended mounting.



Suspended Linear Light Ugr<16 & Ugr<19

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
28W	4000K	PLHM20284	1200	X	58	X	88	11200
28W	5700K	PLHM20288	1200	X	58	X	88	11200
28W	4000K	PLHM21284	1190	X	55	X	85	11200
28W	5700K	PLHM21288	1190	X	55	X	85	11200

SLENDO R ADV

Linear Light comprises of Aluminium Extrusion with PMMA Diffuser, Aluminium End Caps and SS Clamps for Mounting arrangement.



Recessed Linear Light

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
14W	4000K	PLRM05144	613	X	65	X	34	5200
14W	5700K	PLRM05148	613	X	65	X	34	5200
28W	4000K	PLRM05284	1208	X	65	X	34	8500
28W	5700K	PLRM05288	1208	X	52	X	34	8500
56W	4000K	PLRM05564	1293	X	52	X	34	16800
56W	5700K	PLRM05568	1293	X	52	X	34	16800
10W	4000K	PLRM04104	613	X	52	X	34	5500
10W	5700K	PLRM04108	613	X	52	X	34	5500
18W	4000K	PLRM04184	1208	X	52	X	34	8800
18W	5700K	PLRM04188	1208	X	52	X	34	8800
36W	4000K	PLRM04364	2393	X	52	X	34	16200
36W	5700K	PLRM04368	2393	X	52	X	34	16200

SPUR ADVANCE

Recess mounting circular LED downlight luminaire with PC housing, anti-glare diffuser and separate energy efficient electronic driver



PC Downlight

Wattage	CCT	Product Code	Product Dimensions (mm)					Maximum Retail Price in Rs. (incl. of all taxes) per Number)
			Dia	X	W/Dia	X	H	
5W	3000K	PDLM01053R2P	Ø 116	x	-	x	100	900
5W	4000K	PDLM01054R2P	Ø 116	x	-	x	100	900
5W	5700K	PDLM01058R2P	Ø 116	x	-	x	100	900
5W	6500K	PDLM01057R2P	Ø 116	x	-	x	100	900
10W	3000K	PDLM01103R2P	Ø 116	x	-	x	100	950
10W	4000K	PDLM01104R2P	Ø 116	x	-	x	100	950
10W	5700K	PDLM01108R2P	Ø 116	x	-	x	100	950
10W	6500K	PDLM01107R2P	Ø 116	x	-	x	100	950
15W	3000K	PDLM01153R2P	Ø 166	x	-	x	150	1200
15W	4000K	PDLM01154R2P	Ø 166	x	-	x	150	1200
15W	5700K	PDLM01158R2P	Ø 166	x	-	x	150	1200
15W	6500K	PDLM01157R2P	Ø 166	x	-	x	150	1200
20W	3000K	PDLM01203R2P	Ø 220	x	-	x	205	1800
20W	4000K	PDLM01204R2P	Ø 220	x	-	x	205	1800
20W	5700K	PDLM01208R2P	Ø 220	x	-	x	205	1800
20W	6500K	PDLM01207R2P	Ø 220	x	-	x	205	1800
5W	3000K	PDLM02053R2P	116	x	116	x	100	900
5W	4000K	PDLM02054R2P	116	x	116	x	100	900
5W	5700K	PDLM02058R2P	116	x	116	x	100	900
5W	6500K	PDLM02057R2P	116	x	116	x	100	900
10W	3000K	PDLM02103R2P	116	x	116	x	100	950
10W	4000K	PDLM02104R2P	116	x	116	x	100	950
10W	5700K	PDLM02108R2P	116	x	116	x	100	950
10W	6500K	PDLM02107R2P	116	x	116	x	100	950
15W	3000K	PDLM02153R2P	166	x	166	x	150	1200
15W	4000K	PDLM02154R2P	166	x	166	x	150	1200
15W	5700K	PDLM02158R2P	166	x	166	x	150	1200
15W	6500K	PDLM02157R2P	166	x	166	x	150	1200
20W	3000K	PDLM02203R2P	220	x	220	x	205	1800
20W	4000K	PDLM02204R2P	220	x	220	x	205	1800
20W	5700K	PDLM02208R2P	220	x	220	x	205	1800
20W	6500K	PDLM02207R2P	220	x	220	x	205	1800

ARUMI PLUS

The aluminium recessed downlight comprises of casted aluminium housing with high quality diffuser for uniform light distribution and steel springs for recess mounting arrangement




Aluminium Downlight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
6W	3000K	PDLM35063	Ø 121	x	-	x	39	2030
6W	4000K	PDLM35064	Ø 121	x	-	x	39	2030
6W	5700K	PDLM35068	Ø 121	x	-	x	39	2030
6W	6500K	PDLM35067	Ø 121	x	-	x	39	2030
9W	3000K	PDLM35093	Ø 121	x	-	x	39	2160
9W	4000K	PDLM35094	Ø 121	x	-	x	39	2160
9W	5700K	PDLM35098	Ø 121	x	-	x	39	2160
9W	6500K	PDLM35097	Ø 121	x	-	x	39	2160
12W	3000K	PDLM35123	Ø 165	x	-	x	53	2550
12W	4000K	PDLM35124	Ø 165	x	-	x	53	2550
12W	5700K	PDLM35128	Ø 165	x	-	x	53	2550
12W	6500K	PDLM35127	Ø 165	x	-	x	53	2550
15W	3000K	PDLM35153	Ø 165	x	-	x	53	2660
15W	4000K	PDLM35154	Ø 165	x	-	x	53	2660
15W	5700K	PDLM35158	Ø 165	x	-	x	53	2660
15W	6500K	PDLM35157	Ø 165	x	-	x	53	2660
18W	3000K	PDLM35183	Ø 165	x	-	x	53	2850
18W	4000K	PDLM35184	Ø 165	x	-	x	53	2850
18W	5700K	PDLM35188	Ø 165	x	-	x	53	2850
18W	6500K	PDLM35187	Ø 165	x	-	x	53	2850
20W	3000K	PDLM35203	Ø 165	x	-	x	53	3000
20W	4000K	PDLM35204	Ø 165	x	-	x	53	3000
20W	5700K	PDLM35208	Ø 165	x	-	x	53	3000
20W	6500K	PDLM35207	Ø 165	x	-	x	53	3000
24W	3000K	PDLM35243	Ø 165	x	-	x	53	3250
24W	4000K	PDLM35244	Ø 165	x	-	x	53	3250
24W	5700K	PDLM35248	Ø 165	x	-	x	53	3250
24W	6500K	PDLM35247	Ø 165	x	-	x	53	3250

CAMBER MODAN ADV

Surface mounted Down Light which comprises of PC housing with PC Diffuser and MS Clamp for Surface Mounting arrangement.



Rimless Surface Downlight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
6W	3000K	PDLM36063	Ø100	x	-	x	31	1040
6W	4000K	PDLM36064	Ø100	x	-	x	31	1040
6W	5700K	PDLM36068	Ø100	x	-	x	31	1040
6W	6500K	PDLM36067	Ø100	x	-	x	31	1040
12W	3000K	PDLM36123	Ø125	x	-	x	31	1600
12W	4000K	PDLM36124	Ø125	x	-	x	31	1600
12W	5700K	PDLM36128	Ø125	x	-	x	31	1600
12W	6500K	PDLM36127	Ø125	x	-	x	31	1600
18W	3000K	PDLM36183	Ø150	x	-	x	31	2080
18W	4000K	PDLM36184	Ø150	x	-	x	31	2080
6W	3000K	PDLM37063	100	x	100	x	31	1040
6W	4000K	PDLM37064	100	x	100	x	31	1040
6W	5700K	PDLM37068	100	x	100	x	31	1040
6W	6500K	PDLM37067	100	x	100	x	31	1040
12W	3000K	PDLM37123	125	x	125	x	31	1600
12W	4000K	PDLM37124	125	x	125	x	31	1600
12W	5700K	PDLM37128	125	x	125	x	31	1600
12W	6500K	PDLM37127	125	x	125	x	31	1600
18W	5700K	PDLM36188	150	x	150	x	31	2080
18W	6500K	PDLM36187	150	x	150	x	31	2080
18W	3000K	PDLM37183	150	x	150	x	31	2080
18W	4000K	PDLM37184	150	x	150	x	31	2080
18W	5700K	PDLM37188	150	x	150	x	31	2080
18W	6500K	PDLM37187	150	x	150	x	31	2080

SPNIDLE

Circular suspended mounted LED luminaire comprises of CRCA housing matt powder coated in black. The LED clusters are assembled in the body & high efficiency translucent frosted diffuser is used for uniform glare-free light distribution.



Circular Suspended Light

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
25W	4000K	PDLM20254	Ø300	x	-	x	85	11110
25W	5700K	PDLM20258	Ø300	x	-	x	85	11110
32W	4000K	PDLM20324	Ø450	x	-	x	85	16600
32W	5700K	PDLM20328	Ø450	x	-	x	85	16600
40W	4000K	PDLM20404	Ø600	x	-	x	95	22550
40W	5700K	PDLM20408	Ø600	x	-	x	95	22550

Circular surface mounted LED luminaire comprises of CRCA housing matt powder coated in black. The LED clusters are assembled in the body & high efficiency translucent frosted diffuser is used for uniform glare-free light distribution.



Circular Surface Light

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
25W	4000K	PDLM21254	Ø300	x	-	x	85	10050
25W	5700K	PDLM21258	Ø300	x	-	x	85	10050
32W	4000K	PDLM21324	Ø450	x	-	x	85	15500
32W	5700K	PDLM21328	Ø450	x	-	x	85	15500
40W	4000K	PDLM21404	Ø600	x	-	x	95	21500
40W	5700K	PDLM21408	Ø600	x	-	x	95	21500

PEAR

Cylindrical suspended mounted LED luminaire comprises of AL housing matt powder coated in black is used for modern offices, recreation area & other interiors. Special translucent diffuser used for better lighting distribution.



Cylindrical Suspended Light

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number
			L/Dia	X	W/Dia	X	H	
12W	4000K	PDLM18124	Ø102	x	-	x	200	8050
12W	5700K	PDLM18128	Ø102	x	-	x	200	8050
20W	4000K	PDLM18204	Ø102	x	-	x	200	8050
20W	5700K	PDLM18208	Ø102	x	-	x	200	8050

Cylindrical surface mounted LED luminaire comprises of AL housing matt powder coated in black is used for modern offices, recreation area & other interiors. Special translucent diffuser used for better lighting distribution.



Cylindrical Surface Light

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number
			L/Dia	X	W/Dia	X	H	
12W	4000K	PDLM19124	Ø102	x	-	x	200	7650
12W	5700K	PDLM19128	Ø102	x	-	x	200	7650
20W	4000K	PDLM19204	Ø102	x	-	x	200	7650
20W	5700K	PDLM19208	Ø102	x	-	x	200	7650

SLENDO TECH PLUS

Recess mounted Linear Light comprises of Aluminium Extrusion Housing with PMMA Sliding Diffuser & PC End Caps.



Aluminium Techzone

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number
			L/Dia	X	W/Dia	X	H	
18W	4000K	PTZM03184#	1195	x	146	x	48	11400
18W	5700K	PTZM03188#	1195	x	146	x	48	11400
28W	4000K	PTZM04284	1195	x	146	x	48	11400
28W	5700K	PTZM04288	1195	x	146	x	48	11400
36W	4000K	PTZM03364#	2395	x	146	x	48	21800
36W	5700K	PTZM03368#	2395	x	146	x	48	21800
56W	4000K	PTZM04564	2395	x	146	x	48	21800
56W	5700K	PTZM04568	2395	x	146	x	48	21800
14W	4000K	PTZM03144#	1195	x	146	x	48	10900
14W	5700K	PTZM03148#	1195	x	146	x	48	10900
22W	4000K	PTZM04224	1195	x	146	x	48	11450
22W	5700K	PTZM04228	1195	x	146	x	48	11450
28W	4000K	PTZM03284#	2395	x	146	x	48	20500
28W	5700K	PTZM03288#	2395	x	146	x	48	20500
44W	4000K	PTZM04444	2395	x	146	x	48	24750
44W	5700K	PTZM04448	2395	x	146	x	48	24750

TECHZONE ACCESSORIES

Product Code	Maximum Retails Price in Rs. (incl. of all taxes) per Number
PACM11004	120
PACM11006	1050

HARROW ADV

The Alumium batten comprises of extruded aluminium housing, PC diffuser, PC End Caps, PC Clamps for surface mounting arrangement.



Aluminium Batten

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
20W	4000K	PBTM25204	1140	x	23	x	38	1820
20W	5700K	PBTM25208	1140	x	23	x	38	1820
20W	6500K	PBTM25207	1140	x	23	x	38	1820
36W	4000K	PBTM25364	1205	x	30	x	38	2720
36W	5700K	PBTM25368	1205	x	30	x	38	2720
36W	6500K	PBTM25367	1205	x	30	x	38	2720

PC BATTEN

The PC batten comprises of extruded PC housing, PC diffuser, PC End Caps and Steel Clamps for surface mounting arrangement.



PC Batten

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number
			L/Dia	X	W/Dia	X	H	
20W	3000k	PBTM02203BS	1140	x	23	x	38	650
20W	4000k	PBTM02204BS	1140	x	23	x	38	650
20W	6500k	PBTM02207BS	1140	x	23	x	38	650

SURFACE MOUNTED FRAME

Surface mounted frame for baselight. CRCA housing.

Surface Mounted Frame		
Product Code		Maximum Retails Price in Rs. (incl. of all taxes) per Number)
PFMM03000	Accessories	1950

IP20 TRUNKING

LED trunking light comprises of Aluminium Extrusion housing, equipped with antiglare Opal diffuser with decorative end cap.



LED Trunking Light								
Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
39W	5700K	PTBM04398K	1140	x	23	x	38	5000

A full-page background image featuring a worker in a yellow hard hat and dark blue uniform, seen from behind, holding a tablet. The tablet displays a control interface with various icons and graphs. In the foreground, a yellow industrial robotic arm is visible, with bright sparks emanating from its base. The scene is set in a factory environment with blurred machinery in the background. A yellow diagonal band runs across the image, containing the text 'INDUSTRIAL LIGHTING'.

INDUSTRIAL LIGHTING

ENVISO PRO

Aesthetically designed robust LED highbay equipped with specially designed heat sink and reliable integrated energy efficient driver to meet the different requirement across industrial application.



LED Circular Baylight 60°

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
80W	5700K	PBYM14808	Ø245	x	-	x	185	14800
100W	5700K	PBYM14AB8	Ø245	x	-	x	185	17300
120W	5700K	PBYM14CD8	Ø340	x	-	x	175	24150
150W	5700K	PBYM14FG8	Ø340	x	-	x	175	25400
180W	5700K	PBYM14KL8	Ø340	x	-	x	175	29650



LED Circular Baylight 90°

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
80W	5700K	PBYM15808	Ø245	x	-	x	185	14800
100W	5700K	PBYM15AB8	Ø245	x	-	x	185	17300
120W	5700K	PBYM15CD8	Ø340	x	-	x	175	24150
150W	5700K	PBYM15FG8	Ø340	x	-	x	175	25400
180W	5700K	PBYM15KL8	Ø340	x	-	x	175	29650

ENVISO

Aesthetically designed robust LED highbay equipped with specially designed heat sink and reliable integrated energy efficient driver to meet the different requirement across industrial application.



LED Circular Baylight 60°

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number]
			L/Dia	X	W/Dia	X	H	
80W	5700K	PBYM17808	Ø244	x	-	x	130	15000
100W	5700K	PBYM17AB8	Ø244	x	-	x	130	16000
120W	5700K	PBYM17CD8	Ø287	x	-	x	110	17000
150W	5700K	PBYM17FG8	Ø287	x	-	x	110	22000
180W	5700K	PBYM17KL8	Ø340	x	-	x	125	40000



LED Circular Baylight 90°

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number]
			L/Dia	X	W/Dia	X	H	
80W	5700K	PBYM18808	Ø244	x	-	x	130	15000
100W	5700K	PBYM18AB8	Ø244	x	-	x	130	16000
120W	5700K	PBYM18CD8	Ø287	x	-	x	110	17000
150W	5700K	PBYM18FG8	Ø287	x	-	x	110	22000
180W	5700K	PBYM18KL8	Ø340	x	-	x	125	40000

ENVISO ADV

Aesthetically designed robust LED highbay equipped with specially designed heat sink and reliable integrated energy efficient driver to meet the different requirement across industrial application.



LED Circular Highbay Wide Optics

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
150W	5700K	PBYM16FG8WO	Ø330	x	-	x	160	30000
180W	5700K	PBYM16KL8WO	Ø330	x	-	x	160	35000
200W	5700K	PBYM16MN8WO	Ø330	x	-	x	160	40000

HARROW

The Industrial batten comprises of White Powder Coated CRCA Housing with PC Diffuser, PC End Caps and Spring Steel Clamps for Surface & Suspended Mounting arrangement.



Industrial Batten - IP20

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
20W	4000K	PBTM12204	1185	x	42	x	62	5400
20W	5700K	PBTM12208	1185	x	42	x	62	5400
40W	4000K	PBTM12404	1185	x	42	x	62	6500
40W	5700K	PBTM12408	1185	x	42	x	62	6500
40W	5700K	PBTM12408CL	1185	x	42	x	62	6800

TRUSS ADV

IP66 LED batten with inbuilt heat sink, polycarbonate housing equipped with antiglare diffuser & energy efficient electronic driver.



Industrial Batten - IP66

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
20W	4000K	PBTM19204	1200	X	44.6	X	44.6	4850
20W	5700K	PBTM19208	1200	X	44.6	X	44.6	4850
40W	4000K	PBTM19404	1200	X	44.6	X	44.6	5750
40W	5700K	PBTM19408	1200	X	44.6	X	44.6	5750
40W	6500K	PBTM19407	1200	X	44.6	X	44.6	5750

MERLIN PLUS

Aesthetically designed LED Wellglass equipped with specially designed heat sink and reliable energy efficient electronic driver to meet different lighting requirements across industrial application.



Wellglass

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
24W	5700K	PWGM09248	Ø146	X	-	X	195	6000
35W	5700K	PWGM09358	Ø146	X	-	X	195	6400
40W	5700K	PWGM09408	Ø146	X	-	X	195	6750
70W	5700K	PWGM09708	Ø200	X	-	X	181	12000
24W	5700K	PWGM10248	Ø146	X	-	X	195	6000
35W	5700K	PWGM10358	Ø146	X	-	X	195	6400
40W	5700K	PWGM10408	Ø146	X	-	X	195	6750
70W	5700K	PWGM10708	Ø200	X	-	X	181	12000

MERLIN PLUS ADV

Aesthetically designed robust LED well glass, equipped with specially designed heat sink and reliable integrated energy efficient electronic potted driver with IP65 and additional metal cover with powder coated to meet the different lighting requirement across industrial application



Wellglass

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
24W	5700K	PWGM15248	157	x	116	x	165	5800
35W	5700K	PWGM15358	157	x	116	x	165	6000
40W	5700K	PWGM15408	157	x	116	x	165	6500
24W	5700K	PWGM16248	157	x	116	x	165	5800
35W	5700K	PWGM16358	157	x	116	x	165	6000
40W	5700K	PWGM16408	157	x	116	x	165	6500

CANO PRO

LED Under Canopy luminaire aesthetically designed with better thermal management. Housing made of PDC and MS frame with toughened glass. This LED luminaire is designed to replace conventional under canopy applications. It is also recommended for industrial application.



Under Canopy

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
100W	5700K	PCNM02AB8	286	X	257	X	53.5	14800

ELIPTO

The LED bulkhead comprises of Polycarbonate housing and PC diffuser for better light distribution, suitable for ceiling/wall mounting arrangement.



Bulkhead								
Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
10W	6500K	PBHM01107	232	X	105	X	50	2100

ELIPTO

The LED bulkhead comprises of Aluminium Diecast housing and PC diffuser for better light distribution, suitable for ceiling/wall mounting arrangement.



Bulkhead								
Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
10W	5700K	PBHM03108K	208	X	121	X	70	2500

IP54 TRUNKING

Aluminium extrusion trunk with white powder coated for LED Trunking Botten. LED Truning Battenfor suspended application with inbuild heatsink, polycarbonate housing equipped with anti glare diffuser & energy efficient electronic driver with decorative end cap.



IP54 Trunking

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number}
			L/Dia	X	W/Dia	X	H	
40W*	5700K	PTBM03408	1200	X	82	X	52	9650
Trunking	System	PATM03153	1500	X	56.5	X	50	On Request
Trunking	System	PATM03155	1500	X	56.5	X	50	On Request
Trunking	System	PATM03157	1500	X	56.5	X	50	On Request
Trunking	System	PATM03303	3000	X	56.5	X	50	On Request
Trunking	System	PATM03305	3000	X	56.5	X	50	On Request
Trunking	System	PATM03307	3000	X	56.5	X	50	On Request
Trunking	System	PATM03353	3500	X	56.5	X	50	On Request
Trunking	System	PATM03355	3500	X	56.5	X	50	On Request
Trunking	System	PATM03357	3500	X	56.5	X	50	On Request

* AluminiumTrunk

IMBUE CLEAN ROOM

LED Cleanroom recess mounted luminaire with bottom opening consist of CRCA white powder coated CRCA housing and anti glare diffuser for uniform light distribution. MS bottom frame with screw



BOCR With Screw & MS Bottom Frame

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number}
			L/Dia	X	W/Dia	X	H	
18W	4000K	PCRM03184	300	x	300	x	65	6850
18W	5700K	PCRM03188	300	x	300	x	65	6850
22W	4000K	PCRM03224	300	x	300	x	65	6950
22W	5700K	PCRM03228	300	x	300	x	65	6950
28W	4000K	PCRM03284	300	x	300	x	65	6950
28W	5700K	PCRM03288	300	x	300	x	65	6950
36W	4000K	PCRM03364	600	x	600	x	65	17700
36W	5700K	PCRM03368	600	x	600	x	65	17700
45W	4000K	PCRM03454	600	x	600	x	65	16650
45W	5700K	PCRM03458	600	x	600	x	65	16650
60W	4000K	PCRM03604	600	x	600	x	65	23000
60W	5700K	PCRM03608	600	x	600	x	65	23000

IMBUE CLEAN ROOM

LED Cleanroom recess mounted luminaire with bottom opening consist of CRCA white powder coated CRCA housing and anti glare diffuser for uniform light distribution. MS bottom frame without screw.



BOCR With Magnet & MS Bottom Frame

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
18W	4000K	PCRM04184	300	x	300	x	65	8850
18W	5700K	PCRM04188	300	x	300	x	65	8850
22W	4000K	PCRM04224	300	x	300	x	65	8850
22W	5700K	PCRM04228	300	x	300	x	65	8850
28W	4000K	PCRM04284	300	x	300	x	65	8850
28W	5700K	PCRM04288	300	x	300	x	65	8850
45W	4000K	PCRM04454	600	x	600	x	65	19900
45W	5700K	PCRM04458	600	x	600	x	65	19900
60W	4000K	PCRM04604	600	x	600	x	65	19900
60W	5700K	PCRM04608	600	x	600	x	65	19900

IMBUE CLEAN ROOM

LED Cleanroom recess mounted luminaire with bottom opening consist of CRCA white powder coated CRCA housing and anti glare diffuser for uniform light distribution. SS bottom frame with screw.



BOCR With Screw & SS Bottom Frame

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
18W	4000K	PCRM05184	300	x	300	x	65	7650
18W	5700K	PCRM05188	300	x	300	x	65	7650
22W	4000K	PCRM05224	300	x	300	x	65	7650
22W	5700K	PCRM05228	300	x	300	x	65	7650
28W	4000K	PCRM05284	300	x	300	x	65	7650
28W	5700K	PCRM05288	300	x	300	x	65	7650
45W	4000K	PCRM05454	600	x	600	x	65	19850
45W	5700K	PCRM05458	600	x	600	x	65	19850
60W	4000K	PCRM05604	600	x	600	x	65	19900
60W	5700K	PCRM05608	600	x	600	x	65	19900

IMBUE CLEAN ROOM

LED Cleanroom recess mounted luminaire with bottom opening consist of CRCA white powder coated CRCA housing and anti glare diffuser for uniform light distribution. SS bottom frame without screw.



BOCR With Magnet & SS Bottom Frame

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number}
			L/Dia	X	W/Dia	X	H	
45W	4000K	PCRM06454	600	x	600	x	65	23150
45W	5700K	PCRM06458	600	x	600	x	65	23150
18W	4000K	PCRM06184	300	x	300	x	65	9700
18W	5700K	PCRM06188	300	x	300	x	65	9700
22W	4000K	PCRM06224	300	x	300	x	65	9700
22W	5700K	PCRM06228	300	x	300	x	65	9700
28W	4000K	PCRM06284	300	x	300	x	65	9700
28W	5700K	PCRM06288	300	x	300	x	65	9700
60W	4000K	PCRM06604	600	x	600	x	65	22850
60W	5700K	PCRM06608	600	x	600	x	65	22850

IMBUE CLEAN ROOM

LED Cleanroom recess mounted luminaire with top opening consist of CRCA white powder coated CRCA housing and anti glare diffuser for uniform light distribution. MS bottom frame with screw.



TOCR with Screw & MS Frame

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number}
			L/Dia	X	W/Dia	X	H	
45W	4000K	PCRM07454	650	x	650	x	75	23000
45W	5700K	PCRM07458	650	x	650	x	75	23000
60W	4000K	PCRM07604	650	x	650	x	75	23000
60W	5700K	PCRM07608	650	x	650	x	75	23000

IMBUE CLEAN ROOM

LED Cleanroom recess mounted luminaire with top opening consist of CRCA white powder coated CRCA housing and anti glare diffuser for uniform light distribution. SS bottom frame with screw.



TOCR with Screw & SS Frame

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number
			L/Dia	X	W/Dia	X	H	
45W	4000K	PCRM08454	650	x	650	x	75	25350
45W	5700K	PCRM08458	650	x	650	x	75	25350
60W	4000K	PCRM08604	650	x	650	x	75	25350
60W	5700K	PCRM08608	650	x	650	x	75	25350

VIADUCT

The LED Via Duct/Tunnel light comprise of extended Aluminium housing with PC moulded diffuser and adjustable mounting arrangement with tilt arrangement +/-60 degree. This luminaire is recommended for applicationls like tunnel, railway, metros etc.



Via Duct

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number
			L/Dia	X	W/Dia	X	H	
20W	5700K	PVDM01208	375	x	80	x	107.5	9600
30W	5700K	PVDM01308	375	x	80	x	107.5	10000
45W	5700K	PVDM01458	452	x	80	x	123	12400



OUTDOOR LIGHTING

BLOOM PRO

LED Streetlight with innovative, aesthetic and robust design with pressure die-cast aluminium housing with UV stabilised PC IP diffuser for better light distribution.



LED Streetlight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number
			L/Dia	X	W/Dia	X	H	
15W	5700K	PSTM27158	320	x	97	x	55	3650
20W	5700K	PSTM27208	320	x	97	x	55	3800
25W	5700K	PSTM27258	320	x	97	x	55	3900
30W	5700K	PSTM27308	320	x	97	x	55	4500
35W	5700K	PSTM27358	320	x	97	x	55	4800
45W	5700K	PSTM27458	348	x	92	x	72	6400
60W	5700K	PSTM27608	348	x	92	x	72	8600

BLOOM

LED Streetlight with innovative, aesthetic and robust design with pressure die-cast aluminium housing with UV stabilised PC IP diffuser for better light distribution.



LED Streetlight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number
			L/Dia	X	W/Dia	X	H	
70W	5700K	PSTM22708R2	390	x	110	x	71.5	6000

LED Streetlight with innovative, aesthetic and robust design with pressure die-cast aluminium housing with frame & UV stabilised PC IP diffuser for better light distribution.



Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number
			L/Dia	X	W/Dia	X	H	
90W	5700K	PSTM22908R2	344	x	212	x	97	12300

BLOOM

LED Streetlight with innovative, aesthetic and robust design with pressure die-cast aluminium housing with frame and UV stabilised toughened glass.



LED Streetlight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
100	5700K	PSTM22AB8	362	x	232	x	87	12550
150	5700K	PSTM22FG8	445	x	280	x	80	16500

LED Streetlight with innovative, aesthetic and robust design with pressure die-cast aluminium housing and UV stabilised toughened glass.



Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
180	5700K	PSTM22KL8R3	362	x	232	x	87	21250
200	5700K	PSTM22MN8R3	362	x	232	x	87	22500
220	5700K	PSTM22OP8R3	552	x	330	x	96	23750
250	5700K	PSTM22RS8R3	552	x	330	x	96	25000

FLANO

Flood light luminaire comprises of die cast aluminium housing with frame, toughened glass with PC lens, cradle mounting.



LED Floodlight

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
30	5700K	PFLM11308	217	x	177	x	41	6550
50	5700K	PFLM11508	242	x	231	x	53	8850
70	5700K	PFLM19708	230	x	200	x	57	10900
90	5700K	PFLM18908	285	x	210	x	61	13800
100	5700K	PFLM18AB8	285	x	210	x	72	15500
120	5700K	PFLM18CD8R1	325	x	258	x	72	18000
200	5700K	PFLM18MN8	350	x	285	x	85	27100
250	5700K	PFLM18RS8	365	x	465	x	140	38900
350	5700K	PFLM20ZC8	560	x	350	x	90	52100
400	5700K	PFLM20ZH8	560	x	350	x	90	55400
500	5700K	PFLM20ZS8	720	x	420	x	140	74400
500	5700K	PFLM20ZS8R1	600	x	325	x	175	72000
1000	5700K	PFLM2010008	721	x	716	x	142	On request
150	5700K	PFLM18FG8R1	325	x	258	x	72	10000
300	5700K	PFLM20WX8R1	485	x	198	x	172	42000
200	5700K	PFLM18MN8R1	350	x	285	x	85	22500
250	5700K	PFLM18RS8R1	365	x	465	x	140	38000
350	5700K	PFLM20ZC8R1	560	x	350	x	90	50000

OUTDOOR LIGHTING

SANDO

Aesthetically designed IP65 LED Post Top light comprises of spun aluminium top cover, die cast aluminium heat sink, frosted polycarbonate diffuser and die cast aluminium mounting base arm.



LED Post Top

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number]
			L/Dia	X	W/Dia	X	H	
40	5700K	PPTM02408R1	410	x	410	x	415	19450
40	4000K	PPTM02404R1	410	x	410	x	415	19450

KINOKO

Aesthetically designed IP65 LED Post Top light comprises of spun aluminium top cover, die cast aluminium heat sink, frosted polycarbonate diffuser and die cast aluminium mounting base arm.



LED Post Top

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number]
			L/Dia	X	W/Dia	X	H	
20	5700K	PPTM02208R1	330	x	330	x	405	12500
20	4000K	PPTM02204R1	330	x	330	x	405	12500

KYYNEL

Aesthetically designed IP65 LED Post Top light comprises of spun aluminium top cover, die cast aluminium heat sink, frosted polycarbonate diffuser and die cast aluminium mounting base arm.



LED Post Top

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number]
			L/Dia	X	W/Dia	X	H	
60	4000K	PPTM02604R1	450	x	450	x	660	28600
60	5700K	PPTM02608R1	450	x	450	x	660	28600
70	4000K	PPTM02704R1	450	x	450	x	660	29100
70	5700K	PPTM02708R1	450	x	450	x	660	29100

FANAL

Aesthetically designed IP65 LED Post Top light comprises of spun aluminium top cover, die cast aluminium heat sink, frosted polycarbonate diffuser and die cast aluminium mounting base arm.



LED Post Top

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
40	4000K	PPTM03404R1	410	x	410	x	545	20850
40	5700K	PPTM03408R1	410	x	410	x	545	20850
60	4000K	PPTM03604R1	410	x	410	x	545	22750
60	5700K	PPTM03608r1	410	x	410	x	545	22750

BORADO

Aesthetically designed IP65 LED BOLLARD luminaire comprises of galvanised extruded mild steel pipe housing with opal polycarbonate diffuser and aluminium mounting base.



LED Bollard

Wattage	CCT	Product Code	Product Dimesions (mm)					Maximum Retails Price in Rs. (incl. of all taxes) per Number)
			L/Dia	X	W/Dia	X	H	
10	5700K	PBDM03108	180	x	105	x	1000	15700
10	4000K	PBDM03104	180	x	105	x	1000	15700



HEAD/REGIONAL OFFICES

WEST (H.O.)

Panasonic Life Solutions India Pvt. Ltd.
3rd Floor, B Wing, I-Think Techno Campus,
Pokhran Road No. 2, Thane (W), Thane - 400 607,
Maharashtra. Tel: 022 30418888

NORTH-1

Panasonic Life Solutions India Pvt. Ltd.
SCO-40, 1st Floor, NAC Manimajra,
Chandigarh - 160101. Tel - 0172 3255715

STATE/SALES OFFICES

NORTH-1

JAMMU

Panasonic Life Solutions India Pvt. Ltd.
85/1, 1st Floor, Trikuta Nagar,
Jammu - 180 012. Tel: 0191 2470735 / 36

CHANDIGARH

Panasonic Life Solutions India Pvt. Ltd.
S.C.O - 40 1st floor , NAC Manimajra,
Chandigarh -160101.

NORTH-2

JAIPUR

Panasonic Life Solutions India Pvt. Ltd.
224-225, 2nd Floor, Ganpati Plaza,
M.I. Road, Jaipur, Rajasthan - 302 001
Tel: 0141 3007666 / 2331369

NEW DELHI

Panasonic Life Solutions India Pvt. Ltd.
Windsor Grand, 09th Floor,
Plot No. 1C, Sector - 126, Expressway,
Noida - 201313, Uttar Pradesh.

EAST

GUWAHATI

Panasonic Life Solutions India Pvt. Ltd.
2A, 2nd Floor, Dihang Arcade,
ABC, G.S. Road, Guwahati, Pin-781005.

BHUBANESWAR

Panasonic Life Solutions India Pvt. Ltd.
2nd Floor, Creative Plaza,
Rasulgarh Square,
Bhubaneswar - 751010. Odisha.

EAST

Panasonic Life Solutions India Pvt. Ltd.
4th Floor, Block "C", Apeejay House,
15, Park Street, Kolkata, West Bengal - 700 016.
Tel: 033 32219196

NORTH-2

Panasonic Life Solutions India Pvt. Ltd.
Windsor Grand, 09th Floor, Plot No. 1C, Sector - 126,
Expressway, Noida - 201313, Uttar Pradesh.

PUNJAB

Panasonic Life Solutions India Pvt. Ltd.
B-20/ 2813 / 13-A, 3rd Floor, Ranjit Tower,
Pakhawal Road , Gurdev Nagar,
Ludhiana - 141001. (Punjab) Tel: 0161 4630796

PARWANOO

Panasonic Life Solutions India Pvt. Ltd.
S.C.O - 40 1st floor , NAC Manimajra,
Chandigarh -160101.

LUCKNOW

Panasonic Life Solutions India Pvt. Ltd.
1st Floor, Tiwari Puram No. 1,
Main Kanpur Road, Nr. Hind Petrol Pump,
Opp. UCO Bank, Lucknow - 226023.

FARIDABAD

Panasonic Life Solutions India Pvt. Ltd.
6th Floor, Plot No-7, TDI Centre,
Jasola District Centre, New Delhi -110025.

PATNA

Panasonic Life Solutions India Pvt. Ltd.
F-1, 1st Floor, Gitanjali Palace,
Jamal Road, Patna, Bihar - 800001.

SILIGURI

Panasonic Life Solutions India Pvt. Ltd.
1st Floor, Hanshara House,
Beside City Mall (Bazar Kolkata),
Sevoke Road, Siliguri - 734001.

SOUTH

Panasonic Life Solutions India Pvt. Ltd.
No. 8-12, 3rd Floor, Prestige Nebula -II,
Infantry Road, Bengaluru, Karnataka - 560 001.
Tel: 080 30284400 - 40

UTTARAKHAND

Panasonic Life Solutions India Pvt. Ltd.
Khasra No: 332-333-335 & 339, 1st Floor,
Main Saharanpur Road, Niranjapur,
Opp. Institute of Hotel Management, HCL Compound,
Dehradun - 248 001. Tel: 0135 3241686

VARANASI

Panasonic Life Solutions India Pvt. Ltd.
Siddha Complex, Plot No.173/2, Ground Floor,
Municipal No. D-63/12B & D-63/12-B-1 + 12-BK
- A-1, Tulsipur, Varanasi - 221010.

GHAZIABAD

Panasonic Life Solutions India Pvt. Ltd.
6th Floor, Plot No-7, TDI Centre,
Jasola District Centre, New Delhi-110025.

RANCHI

Panasonic Life Solutions India Pvt. Ltd.
Office No.: 509, R.R. TOWER , 5th Floor,
Opposite Akashwani (Near Nw Market Chowk),
Ratu Road, Ranchi - 834001.

WEST

RAIPUR

Panasonic Life Solutions India Pvt. Ltd.
316-317 A To E, 3rd Floor,
Ravi Bhawan, Jaistambh Chowk,
Raipur C.G.- 492001.

SURAT

Panasonic Life Solutions India Pvt. Ltd.
403, 4th Floor, Union Trade Center,
B/s. Apple Hospital, Udhna Darwaja,
Ring Road, Surat, Gujarat - 395002.
Ph. 261-3002009

LOHAR CHAWL

Panasonic Life Solutions India Pvt. Ltd.
C-369/482, 2, Tak Wadi,
Kalbadevi Road, Mumbai - 400002.

SOUTH

HUBLI

Panasonic Life Solutions India Pvt. Ltd.
A/122-146, 2nd Floor, Mahalaxmi
Mansion, Above Axis Bank, New Cotton Market,
Deshpande Nagar, Hubli - 580 029.
Tel: 0836 3296694

COCHIN

Panasonic Life Solutions India Pvt. Ltd.
K P Varkey & Madathiparambil
Complex, 1st Floor, Door No. 35/1085D,
Palarivattom, Cochin - 25.

GOA

Panasonic Life Solutions India Pvt. Ltd.
Office No 403, 4th Floor,
Gera Emporium II, Patto - Panaji,
Goa - 403001.

BHOPAL

Panasonic Life Solutions India Pvt. Ltd.
Plot No-r30, 2nd Floor, Manya Arcade, Zone-2,
MP Nagar, Bhopal - 462011.

NAGPUR

Panasonic Life Solutions India Pvt. Ltd.
Tapsya, 1st Floor, Near Rahate Hospital,
Adamsha Chowk, C.A. Road,
Nagpur - 440008.

CHENNAI

Panasonic Life Solutions India Pvt. Ltd.
123, 124, Level 3, Isphani Centre,
Nungambakkam High Road.
Chennai 600 034.

COIMBATORE

Panasonic Life Solutions India Pvt. Ltd.
Balavasanth Complex, 3rd Floor, No:1,
Bharathi Park Cross Road, Off. NSR Road,
Saibaba Colony, Coimbatore - 641 011.

AHMEDABAD

Panasonic Life Solutions India Pvt. Ltd.
405, 4th, 3rd Eye One Complex,
Opp Honest Restaurant, Panchvati C.G.
Road, Ahmedabad, Gujarat - 380006.

INDORE

Panasonic Life Solutions India Pvt. Ltd.
318, D.M. Tower, 21/1, Race Course Road,
Indore - 452001.

PUNE

Panasonic Life Solutions India Pvt. Ltd.
The 5th Avenue, 4th Floor, Office A & B,
Dhole Road, Near Desai Bros Building,
Pune - 411001.

VIJAYAWADA

Panasonic Life Solutions India Pvt. Ltd.
#39-10-5, 2nd Floor, V.N.R. Towers,
Opp: Water Tank, Labbipet,
Vijayawada - 520010.

HYDERABAD

Panasonic Life Solutions India Pvt. Ltd.
#1-8-384/385, Gowra Grand,
Ground Floor, SP Road, Begumpet,
Secunderabad - 500 003.

Terms & Conditions:

¥ All prices are subject to general terms and conditions of our business ¥ MRP prices are inclusive of local taxes /VAT and excise duty at the prevailing rates. Prices are subject to change without prior notice ¥ This price list supersedes all our previous price lists. If any dispute should arise, it will be subject to Mumbai jurisdiction ¥ Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some respects from the details provided herein. Current details should therefore be checked with the company

*Marked SKUs will be available till the stock lasts. Successor will be launched.

[illegible]

[illegible]

PANASONIC LIFE SOLUTIONS INDIA PVT. LTD.

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.

Tel. 022 4222 8888 | Fax. 022 4222 8884

Customer Care no.: 022-41304130 | WhatsApp: 9136028606

Email: wecare@in.panasonic.com | www.lsin.panasonic.com

Registered Office: 12th Floor, Ambience Tower, Ambience Island,
NH-48, Gurugram - 122 002, Haryana.

Scan QR Code for Panasonic
Professional Lighting Price List

